From: <u>Clarke, Kevin</u>
To: <u>Tsiamis, Christos</u>

Cc: Rousakis, John; Moriarty, Kenneth; Degueldre, Lindsay; Levine, Robin; "Robert W. Schick, P.E

(rxschick@gw.dec.state.ny.us)"; "King, Christopher"; Carr, Brian; Licata, Angela; "Gary Kline

(gekline@gw.dec.state.ny.us)"

Subject: RE: Gowanus Canal Superfund UAO, Siting Recommendation and Preliminary Design Reports

Date: Tuesday, June 30, 2015 6:09:31 PM

Attachments: 20150630 Gowanus CSO SRR and PRDR Transmittal.pdf

Christos:

Just in case the files were too big and the email did not go through, here are links to download each of the reports:

RH-034 Site Recommendation Rpt 20150629.pdf

OH-007 Site Recommendation Rpt 20150629.pdf

RH-034 PRDR 20150630.pdf OH-007 PRDR 20150630.pdf

Thank you, Kevin

KEVIN CLARKE, P.E. | PORTFOLIO MANAGER | BEDC

NYC Environmental Protection | (O) 718 595 5995 | (C) 347 461 7400 | KCLARKE@DEP.NYC.GOV

From: Clarke, Kevin

Sent: Tuesday, June 30, 2015 5:58 PM

To: Tsiamis, Christos (Tsiamis.Christos@epa.gov)

Cc: Rousakis, John; Moriarty, Kenneth; Degueldre, Lindsay; Levine, Robin; Robert W. Schick, P.E (rxschick@gw.dec.state.ny.us); King, Christopher; Carr, Brian; Licata, Angela; Gary Kline

(gekline@gw.dec.state.ny.us)

Subject: Gowanus Canal Superfund UAO, Siting Recommendation and Preliminary Design Reports

Christos:

Attached please find the Draft CSO Facility Site Recommendation Reports for the RH-034 and OH-007 outfalls. The Draft Preliminary Remedial Design Reports for each facility are too big to email and can be downloaded at the following links:

RH-034: RH-034 PRDR 20150630.pdf OH-007: OH-007 PRDR 20150630.pdf

Please let me know if you have any trouble downloading the design reports. Hard copies of each the reports will be placed in the mail.

Thank you, Kevin

KEVIN CLARKE, P.E. | PORTFOLIO MANAGER | BEDC

NYC Environmental Protection | (O) 718 595 5995 | (C) 347 461 7400 | KCLARKE@DEP.NYC.GOV